## Amendments to the Specification

On page 1, line 1 please insert the following paragraph: TITLE OF THE INVENTION

On page 1, please replace the paragraph entitled "CROSS REFERENCE TO RELATED APPLICATIONS" with the following rewritten paragraph:

Applicants claim priority under 35 U.S.C. §119 of German Application No. 103 36 399.8 filed August 6, 2003. Applicants also claim priority under 35 U.S.C. §365 of PCT/DE2004/001762 filed August 5, 2004. The international application under PCT article 21(2) was not published in English.

On page 1, line 3, please insert the following paragraph:

BACKGROUND OF THE INVENTION

On page 1, line 3 directly after the paragraph BACKGROUND OF THE INVENTION, please insert the following paragraph:
Field of the Invention

Please replace the paragraph beginning on page 1, line 3, with the following rewritten paragraph:

This invention relates to a transport device for a motor vehicle or a partially assembled motor vehicle during the production process according to the preamble of claim 1.

On page 1, line 5, please insert the following paragraph:
Prior Art

On page 1, line 17, please insert the following paragraph: SUMMARY OF THE INVENTION

Please replace the paragraph beginning on page 2, line 22 with the following rewritten paragraph:

In the <u>an</u> embodiment <del>according to claim 2;</del> of the invention, the terminal can be activated and deactivated by a control unit.

Please replace the paragraph beginning on page 3, line 1 with the following rewritten paragraph:

In the <u>an</u> embodiment <del>according to claim 3;</del> of the invention, the control unit is a centralised host computer.

Please replace the paragraph beginning on page 3, line 7 with the following rewritten paragraph:

In the <u>an</u> embodiment according to claim 4, of the invention, the control unit is a mobile control unit that can be attached removably to the transport device or to the motor vehicle or partially assembled motor vehicle being conveyed by the transport device; power can be supplied to said mobile control unit via the transport device.

Please replace the paragraph beginning on page 4, line 3 with the following rewritten paragraph:

In the <u>an</u> embodiment according to claim 5, of the invention, the mobile control unit can be linked up to a diagnostic connector in the vehicle.

Please replace the paragraph beginning on page 4, line 11 with the following rewritten paragraph:

In the <u>an</u> embodiment according to claim 6, of the invention, a mobile control unit can be attached removably to the transport device or to the motor vehicle or partially assembled motor vehicle being conveyed by the transport device; power can be supplied to the mobile unit via the transport device or via the vehicle's electrical system and the mobile unit can be linked up to a diagnostic connector in the vehicle.

Please replace the paragraph beginning on page 4, line 16 with the following rewritten paragraph:

In contrast to the other embodiments described above, embodiment according to claims 4 and 5; the transport device's terminal for supplying external power to the vehicle can not be activated and deactivated by the mobile control unit. In all other respects, this embodiment works in exactly the same way as previously explained.

Please replace the paragraph beginning on page 4, line 20 with the following rewritten paragraph:

In the <u>an</u> embodiment according to claim 7, of the invention, the transport device is integrated in a network for wired data exchange with a host computer. When mounted, the mobile control unit is likewise integrated in the wired data-exchange network.

Please replace the paragraph beginning on page 5, line 3 with the following rewritten paragraph:

In the <u>another</u> embodiment <del>according to claim 8, of the</del> <u>invention</u>, the mobile control unit is equipped with a transmitter/receiver unit for wireless data exchange with a hold

computer or with other stationary or mobile control computers.

These other control computers may, for example, be test stations along the assembly line or assembly workers' hand terminals.

On page 5, line 24, please insert the following paragraph:
BRIEF DESCRIPTION OF THE DRAWING

On page 5 line 27 please insert the following paragraph:
DETAILED DESCRIPTION OF THE DRAWING

Please replace the Abstract of the Disclosure with the Abstract attached as Attachment A.